


Mabuyag Island











Location

 Mabuyag Island is part of the Torres Strait inner and near western group of islands. This group of islands are peaks of the northern most extension of the Great Dividing Range, now separated by sea.

Population

 According to the most recent census, there were 260 people living on Mabuyag Island in August 2011, however, the population is highly transient and this may not be an accurate estimate.

Natural Hazards

- Coastal hazards, including erosion and storm tide inundation, have an impact on Mabuyag Island and inundation is likely to become a major problem within the existing township area with respect to future climate change.
- In response to threats from climate change, the Mabuyag community have expressed a desire to investigate potential alternative locations on Mabuyag Island for future development away from hazard areas.
- Due to the topography and vegetation cover over Mabuyag Island, natural hazards such as catchment flooding, bushfire and landslide are potential threats to the Mabuyag Island community and need to be managed to varying degrees.

Topography and Environment

- The island mostly consists of steep hills rising to a maximum height of 263m and is mainly comprised of red granite. Maguyag has a large central vegetated area that is currently in good condition and is relatively undisturbed.
- Dominant habitat types include mangroves, vine thickets, wet woodlands, grasslands and shrub / rock pavement complexes.
- Native flora and fauna that have been identified on Mabuyag Island include beach stone curlew, spectacled flying fox, coastal sheathtail bat and emerald monitor.
- A network of watercourses is present on Mabuyag Island, which flows intermittently. Peak flow occurs during the wet season months, progressively diminishing during the drier months when rainfall reaches its minimum.
- As with all Torres Strait Islanders, the Mabuyag Island community has close connections to land, sea and sky and consider themselves as part of Gogobithiay (a local word for land, sea and sky).



Township

 Mabuyag Island is 4km long by 3.5km wide and is roughly triangular in shape. Due to the steep topography of the island, the main township is located on a 1,100m long section of sandy beach flats facing to the south west.

Community Aspirations ¹

- Aspirations for built community and sporting facilities include the establishment of a jetty, child care centre, children's playground, residential aged care, office space for NGOs, a new space for the Indigenous Knowledge Centre (IKC), upgrades to the existing oval to a full size (including lighting and grand stand), extension to the health care centre, dental services, a community market garden, upgrades to the sports oval (including toilets and change room), upgrades to the basketball courts, an arts centre, youth drop in centre, upgrades to the boat ramp and an extension to the community hall.
- Possible enterprise opportunities include a
 fisheries, hydroponics, fuel bowser (involving a
 relocation of the existing bowser), aquaculture,
 tourism ventures (based around food, fishing
 tours, arts and culture), clothing store, coconut
 oil production, fibre glassing, a ferry service,
 seafood factory, tackle shop and take away
 store.
- 1. Many of the community aspirations listed here are taken from the Mabuyag Community Booklet 2012, which identifies community priorities relating to the National Indigenous Reform Agreement (NIRA) building blocks of early childhood, schooling, health, economic participation, healthy homes, safe communities, governance and leadership. Priorities that have a development implication are summarised here to provide an indication of the needs of the community. This is supplemented with information gained from community members during community consultation.

Editor's Note –

Local Story

At Wagedagam, the children were walking on the reef catching small crabs and fish. One young girl gave her fish to her mother to cook for her. However, her mother ate them all up. The girl cried and cried. Her mother could not stop her. That night when everyone was asleep Dogai Ii heard her and came and grabbed her and carried her away.

The next day the men found Dogai Ii sitting on a rock with the dead girl in her arms. As the men came near, Dogai Ii wriggled down into the ground. The men grabbed one of her arms and tried to pull her out of the hole.


They pulled so hard that her arm came off. The men hung it in a tree and threw spears at it. The old men growled at the young men and told them to throw the arm to the sharks but they wouldn't.

That night Dogai Ii came back. She scratched the raw stump of her arm with a loud noise, and the arm in the tree joined to her body again. Where Dogai Ii dug herself into the ground is a waterhole which never dries up.

(The li is pronounced 'ee' as in feet).

Source:

Mabuyag, Island of the Torres Strait, Teske, 1945.



7.2.8

Mabuyag Island - local plan code

7.2.8.1 Application

The code applies where identified in the assessment benchmarks column of tables 5.4.1, 5.4.2, 5.5.1 or 5.7.1, in part 5 of this planning scheme.

When using this code, reference should be made to section 5.3.

7.2.8.2 Purpose

- (1) The purpose of the Mabuyag Island local plan code is to guide development on Mabuyag Island in a way that best meets the needs of the community.
- (2) The purpose of the Mabuyag Island local plan code will be achieved through the overall outcomes listed on the following pages under the headings of:
 - (a) Land, sea and sky (moerapil)
 - (b) Natural hazards (apuguwaw soersir)
 - (c) Torres Strait people and townships (koesimay kayin danalayg)
 - (d) Ailan kastom and cultural heritage (muruyguw danalayg)
 - (e) Getting around (rangadh)
 - (f) Town infrastructure (zagethal).

Note – For the purposes of this local plan code, the strategic framework maps in schedule 2 form part of the local plan maps. They contain information referred to in this code.

Editor's note − To identify where the zones and precincts apply across the local plan area, refer to the maps in schedule 2.





- (1) Development minimises and mitigates impacts on areas of high and moderate environmental value within the environmental management and conservation zone.
- (2) All development within the environmental management and conservation zone:
 - (a) avoids areas of high and moderate environmental value, wherever possible; and
 - (b) where areas of high and moderate environmental value can not be avoided, is located, designed and operated in a way that minimises and mitigates impacts to areas of environment value.
- (3) The area of habitat available for rare, threatened and vulnerable species is increased by taking opportunities to connect tracts of fragmented habitat.
- (4) Within the township zone, development is designed to avoid or minimise impacts on environmental values, including existing vegetation, waterways, natural drainage lines and fauna movement corridors, wherever practical. Development should not occur within waterways.
- (5) The habitat values, water quality and natural ecological and hydrological processes of waterways and wetlands are maintained. This includes important recreational and commercial fishing areas within the marine environment surrounding Mabuyag Island.



(1) Risks to people and property caused by coastal hazards, including erosion, storm tide inundation and the impacts of projected sea level rise, are minimised to the greatest extent possible by:

(a) Avoiding -

- (i) Coastal hazard areas are kept free of essential community infrastructure, community facilities and accommodation activities, unless involving coastal dependent development; or temporary or readily relocatable development; or the upgrade or replacement of existing buildings or infrastructure; or a house or dual occupancy on an existing lot within the township zone;
- (ii) New lots are not created within a coastal hazard area unless the purpose of the subdivision is to create a lot over a lease area or house site established before the planning scheme was adopted; or the lots are within a designated expansion area and the requirements of (c) and (d) are met;
- (iii) Development does not worsen the severity or impact to people and property caused by coastal hazards.

(b) Retreating -

(i) When in need of upgrading or replacement, essential community infrastructure, community facilities and accommodation activities within a coastal hazard area are relocated outside of this area, wherever possible.

(c) Accommodating -

- (i) Unless coastal dependent or temporary or readily relocatable, development within a coastal hazard area is:
 - (A) sited to lessen the potential risk of erosion and storm tide inundation;
 - (B) designed to withstand the erosion and storm tide inundation hazard; and
 - (C) designed to minimise susceptibility to erosion and storm tide inundation.
- (ii) Essential community infrastructure is able to function effectively during and immediately after a coastal hazard.
- (iii) Community facilities, accommodation activities and coastal dependent development provide for an evacuation route that is available at all times.
- (iv) Development involving the manufacture or storage of hazardous materials does not increase risk to public safety or the environment caused by erosion and storm tide inundation.



(d) Protecting -

- (i) To the greatest extent possible, development maintains environmental features and physical characteristics that provide protective functions for existing development against the risk of erosion and storm tide inundation.
- (ii) As a last resort, coastal protection works may be considered to protect existing development.
- (2) Development avoids, minimises or mitigates risks to people and property caused by flooding, bushfire and landslide
- (3) Development does not worsen the severity or impact to people and property caused by flooding, bushfire and landslide.
- (4) Essential community infrastructure is able to function effectively during and immediately after a flood, bushfire or landslide.

This planning scheme takes coastal hazards into account using the best available data (at the time of writing). It is anticipated that, over time, the communities of the Torres Strait will continue to discuss these issues and develop an agreed position on the most appropriate responses at the local level. The outcome of these decisions will need to be incorporated into future amendments or revisions to this planning scheme.

While the best available data has been used in this planning scheme, projections about climate change may alter over time. In addition, circumstances may change which means that previous projections about coastal hazards are no longer valid (for example, if a sea wall is constructed to protect a township, calculations about where sea levels may extend to as a consequence of storm tide inundation and sea level rise will no longer be accurate). These circumstances will be taken into account either through development application processes or through planning scheme amendments.

Note – For the purpose of section 13 of the Building Regulations 2006:

- (1) land shown as flood hazard areas and storm tide inundation areas on the maps in schedule 2 is designated as the flood hazard area; and
- (2) the defined flood level in both areas is declared to be 2.27m + 0.8m relative to 2010 MSL datum.

Editor's Note – Dwelling houses and dual occupancies are not made assessable in the township zone under section 5 of this planning scheme. However, building works approval will be required. The declaration of flood hazard areas under the planning scheme trigger various requirements under the Building Codes of Australia.

This is different to the term community facilities, which is used in this document to describe facilities which provide important social services to the community. Land use examples of community facilities include cemeteries, child care centres, clubs, community care centres, community residences, community uses, crematoriums, detention facilities, educational establishments, emergency services, health care services, hospitals, places if worship, retirement facilities, residential care facilities and rooming accommodation (see the land use definitions in schedule 1.1).




Feditor's Note - Community members and Traditional Owners of Mabuyag Island recognise that within the township area, there is little land that will be high enough to be safe from inundation in the future as sea level rise occurs and that lower parts of the community are already affected by tidal inundation during highest tides.

The community and Traditional Owners have expressed a desire to relocate the community to higher ground over time to a location that is safe from natural hazards. They believe the future of Mabuyag is on higher ground.

Possible relocation sites have been identified by community members and are shown as 'possible locations for future housing identified by the community' on the maps in schedule 2. The community members and Traditional Owners of Mabuyag Island request support for an investigation to identify the most suitable land for development of the future township. Development of the most suitable site is likely to occur beyond the life of this planning scheme.

Note – Coastal dependent development is defined in the State Planning Policy.


Note – Land shown as bushfire hazard area on the maps in schedule 2 is designated as the bushfire prone area for the purposes of section 12 of the Building Regulation 2006. The bushfire hazard area (bushfire prone area) includes land covered by very high, high and medium hazard areas as well as the potential impact buffer category.



- (1) Economic and employment opportunities are critical for the long term sustainability and self-determination of the Mabuyag community and opportunities are taken for development to support these objectives. Opportunities may include enterprises such as a fisheries, hydroponics, fuel bowser, aquaculture, tourism ventures, clothing store, coconut oil production, fibre glassing, a ferry service, seafood factory, tackle shop and take away store.
- (2) Development facilitates access to affordable, fresh and healthy foods, including community gardens, fresh food markets and home food gardens.
- (3) New development contributes to the creation of pleasant, safe attractive living environments and the health and wellbeing of Torres Strait Islanders.
- (4) A range of accommodation activities is provided within the township zone that responds to the needs of the community, including larger dwellings suitable for large families and smaller dwellings suitable for singles, young couples, older couples and small families.
- (5) New accommodation activities make efficient use of available unconstrained land within the township zone.
- (6) The township expansion precinct is well connected to the existing township, creates a pleasant living environment for internal and surrounding residents and able to be efficiently serviced by town infrastructure.
- (7) Outstations and camping areas are generally located within the environmental management and conservation zone and are an important part of Torres Strait Islander life, helping to keep communities connected to their traditional lands.
- (8) Development that requires connections to town services is located so that electricity, water supply and sewerage infrastructure can be provided in a cost effective and efficient way.
- (9) Safe and convenient access to community, sport and recreation facilities is available to meet the needs of the community, including people with special needs, older people, children, low income earners and people with disabilities.
- (10) New industrial activities are located where they will not unduly impact on the people's amenity, health or safety.
 - Editor's Note The existing township core of Mabuyag Island is located at the TSIRC building, community hall and IBIS store. Given this part of the township is under threat from storm tides and atchment flooding, the location of the township core may shift over time as the township retreats to a location that provides greater protection from natural hazards. This is a decision that will take time for the community to discuss and decide and therefore should be addressed in future iterations of this planning scheme.

Mabuyag Island

Editor's Note – The terms 'garden', 'community garden' and 'food garden' are used in this planning scheme to describe traditional gardens and home food production, which may be conducted by individuals, households or clan/family groups within a house lot or elsewhere in the community on traditional land. These terms are not the same as 'cropping', which is done for commercial purposes and defined elsewhere in this planning scheme (see the land use definitions in schedule 1.1).



- (1) Communities are developed based on Ailan Kastom. In particular, access to the sea and the natural environment is maintained, and important places and events used for traditional practices are protected from any impacts of development.
- (2) Places and items of heritage significance for cultural, historical or archaeological reasons are identified and protected for the benefit of current and future generations.

Editor's Note – Places shown as sacred sites and significant trees on the maps in schedule 2 are potential locations of cultural heritage value. Other locations of cultural heritage will exist that are not shown on the maps and in some cases, locations are not recorded due to reasons of confidentiality.

It is important that all land users are aware of their obligations under the *Torres Strait Islander Cultural Heritage Act 2003*.

The Act recognises that Torres Strait Islander people are the guardians, keepers and knowledge holders of their cultural heritage. Importantly, the Act recognises that significant areas do not necessarily have markings or other physical evidence indicating occupation or denoting its significance. For example, geographical places of importance may such as places that are part of myths or legends (commonly referred to as 'storyplaces') are significant under the Act.

The most important part of the Act is the Duty of Care provisions that require those conducting activities in areas of significance to take all reasonable and practical measures to avoid harming cultural heritage.

In addition, historical cultural heritage that are not Indigenous in origin are protected under the *Queensland Heritage Act 1992*. These places are recorded in this planning scheme.



- (1) The Mabuyag Island airstrip, helicopter landing pad, barge ramp and associated facilities are critical pieces of transport infrastructure for the Mabuyag Island community. Development does not impact on the integrity of these facilities or the efficient and safe operation of air and sea transport services.
- (2) Transport infrastructure is designed to minimise noise, lighting or other disturbances to residents and users of surrounding accommodation activities and community facilities.
- (3) The construction of a telecommunications facility on Mabuyag Island is a matter of priority in order to improve internet and mobile coverage within the township and support economic activity.
 - Editor's Note The Mabuyag community has expressed a desire to extend the existing airport runway to allow larger aircraft to land on Mabuyag Island and to construct a finger pier.
 - Editor's Note Development within tidal areas may be assessable against Schedule 4A of the Coastal Protection and Management Regulation 2003 if defined as 'prescribed tidal works'. For a definition of 'prescribed tidal works' refer to the Coastal Protection and Management Act 2003.
 - Editor's Note Transport infrastructure is used in this document to describe infrastructure required to move people around. Examples include roads, jetties, barge ramps, airports, helipads and walkways.
 - It includes land use definitions such as air services, transport depot and landing (see the land use definitions in schedule 1.1).
 - Editor's Note The Mabuyag community has expressed a desire to extend the existing airport runway to allow larger aircraft to land on Mabuyag Island and to construct a finger pier.



- (1) Reliance on local waste facilities for the disposal of construction waste is minimised to the extent possible.
- (2) Town infrastructure is located and designed to avoid or minimise negative impacts on the community including negative visual impacts.
- (3) Development does not impede the future ability to:
 - (a) expand the existing cemetery or develop a new cemetery in a location yet to be determined by Council; or
 - (b) expand the existing waste facility or develop a new waste facility in a location yet to be determined by Council.
- (4) New development is adequately separated from major drainage channels.
 - Editor's Note the existing cemetery is at capacity and may need to be expanded or an alternative site found in the near future. Similarly, the existing waste facility may need to be expanded or a new location found within the life of this planning scheme. As an investigation into potential sites for these facilities had not yet occurred at the time this planning scheme was written, applicants will need to consult with TSIRC to determine if a suitable site has been identified at the time a development application is being lodged.
 - Editor's Note Town infrastructure is used in this document to describe infrastructure required to provide a basic range of town services. Examples include water supply, sewage treatment, waste collection and disposal, stormwater management, electricity and telecommunications. It includes land uses such as major electricity infrastructure, renewable energy facilities, sub-stations, telecommunication facilities and utility installation facilities (see the land use definitions in schedule 1.1).

Services provided by town infrastructure may or may not be available within the township zone but typically are not available outside of the township zone. For further information about the existing and planned infrastructure (water supply, sewerage, stormwater, transport, parks and land for community facilities) refer to the local government infrastructure plans (LGIPs) in part 4 of this planning scheme.

As noted in the LGIPs, it is difficult to predict future demand for town infrastructure in TSIRC communities due to the way development processes and funding takes place in the region. Therefore, decisions about infrastructure provision are likely to be made on a case by case basis, depending on funding availability and a range of other factors.

7.2.8.3 Specific benchmarks for assessment

Table 7.2.8.3 — Assessable development

Performance outcomes	Acceptable outcomes
Land, sea and sky (moerapil)	
PO1 In limited circumstances, land within the environmental management and conservation zone can be developed for urban purposes provided that the development:	No acceptable outcome is nominated.
 (1) needs to be separated from where people live; or (2) needs to be located in a particular place or near a particular resource to be able to function; or (3) requires a large area of land that can not physically fit within the township zone; or (4) is for the purpose of town infrastructure; or (5) is required to support ailan kastom or traditional practices. 	
Editor's Note – Urban purposes is used in this document to describe all of the defined activity groups other than rural activities in schedule 1.1.1 in this planning scheme. An exception to this is part 4 of the planning scheme where urban purposes is defined as per the administrative definitions in schedule 1.2 of this planning scheme.	
PO2 Development does not occur within the environmental management and conservation zone unless it:	No acceptable outcome is nominated.
 (1) minimises and mitigates impacts to areas of high and moderate environmental value; (2) maintains connectivity of habitat and fauna movement corridors; and (3) connects tracts of fragmented habitat by vegetating rehabilitation areas where possible. 	
PO3 Vegetation to the north of the airstrip is retained, unless removal is required for the safe operation of the airstrip or to accommodate an extension to the runway.	No acceptable outcome is nominated.

Performance outcomes **Acceptable outcomes** PO₄ AO4.1 Development is separated from waterways and wetlands Development: to help maintain habitat values, water quality and natural (1) provides a minimum buffer of 30m to high value ecological and hydrological processes. waterways, low value waterways and wetlands, and 40m to marine habitats; or **Editor's Note** – The maps provided in schedule (2) is no closer to these areas than existing buildings on 2 show the locations of all known waterways. It the site. should be noted that other waterways may exist AO4.2 that are not shown on these maps. Within these buffer areas, vegetation is retained, no infrastructure is established and no earthworks are carried out. **PO5** Development does not introduce or spread known or No acceptable outcome is nominated. potential pest or weed species by: (1) removing existing weed or pest infestations; and (2) adopting measures to control the introduction of new pests, such as cane toads, and weeds. P06 Development does not occur within the water catchment No acceptable outcome is nominated. **PO7** All landscaping and revegetation is done using plants No acceptable outcome is nominated. native to Mabuyag Island. Natural Hazards (apuguwaw soersir) - Coastal Hazards **PO8** Essential community infrastructure, community facilities No acceptable outcome is nominated. and accommodation activities (excluding dwelling houses and dual occupancies) are located outside of the coastal hazard area unless involving: (1) coastal-dependent development; or (2) development that is temporary or readily relocatable; (3) the upgrade or replacement of existing essential community infrastructure, community facilities or accommodation activities. Feditor's Note - Dwelling houses and dual occupancies are not made assessable under section 5 of this planning scheme, therefore, the planning scheme provisions do not apply

to these land uses. However, building works

approval will be required.

Performance outcomes	Acceptable outcomes
PO9 New lots are not created within a coastal hazard area unless the purpose of the subdivision is to create a lot over a lease area or house site established before the planning scheme was adopted.	AO9.1 New lots are not created within the erosion prone area or storm tide inundation area.
Unless development is coastal dependent development, temporary or readily relocatable, development within a coastal hazard area is: (1) sited to lessen potential risk of erosion and storm tide inundation by locating in a landward position of adjacent buildings or, where there are no adjacent buildings, the most landward position on the lot; (2) designed to withstand the erosion and storm tide inundation hazard; and (3) designed to minimise susceptibility to storm tide inundation by ensuring floor levels are above the defined flood level. Editor's Note – To demonstrate achievement with this PO, a report prepared by a suitably qualified RPEQ (Registered Professional Engineer of Queensland) with coastal engineering experience may be required. Editor's Note – For the purpose of this PO, storage sheds and storage buildings	No acceptable outcome is nominated.
associated with barge ramps, marinas and piers are considered to be coastal-dependent development.	
PO11 Essential community infrastructure is able to function effectively during and immediately after a coastal hazard.	No acceptable outcome is nominated.
PO12 Community facilities, accommodation activities and coastal dependent development provide for an evacuation route that is available at all times.	No acceptable outcome is nominated.
PO13 Development involving hazardous materials manufactured or stored in bulk is not located on land subject to coastal hazard.	AO13.1 The manufacture or storage of hazardous materials in bulk does not occur within the erosion prone area or storm tide inundation area.

Performance outcomes	Acceptable outcomes
PO14	
Development:	No acceptable outcome is nominated.
(1) maintains vegetation on coastal landforms where its removal or damage may:(a) destabilise the area and increase the potential for erosion; or	
(b) interrupt natural sediment trapping processes or sand dune or land building processes; and	
(2) maintains the sediment volumes of sand dunes and near-shore coastal landforms; and	
(3) maintains physical coastal processes outside the development, including longshore transport of sediment along the coast.	
PO15	
Development does not result in a worsening of coastal hazards outside of the development site.	No acceptable outcome is nominated.
Natural Hazards (apuguwaw soersir) – Flooding	
PO16	AO16.1
Essential community infrastructure, community facilities and accommodation activities (excluding dwelling houses and dual occupancies) are located outside of a flood hazard area unless involving:	Essential community infrastructure and community facilities are not established or expanded within a flood hazard area.
(1) development that is temporary or readily relocatable; or	
(2) the upgrade or replacement of existing essential community infrastructure, community facilities or accommodation activities.	
Editor's Note – Dwelling houses and dual occupancies are not made assessable under section 5 of this planning scheme, therefore, the planning scheme provisions do not apply to these land uses. However, building works approval will be required.	
P017	AO17.1
Essential community infrastructure is able to function effectively during and immediately after a flood.	Essential community infrastructure and community facilities are not established or expanded within a flood hazard area.
PO18	AO18.1
Development involving hazardous materials manufactured or stored in bulk is not located on land subject to flood hazard.	The manufacture or storage of hazardous material in bulk does not occur in the flood hazard area.
PO19 Community facilities and accommodation activities provide for an evacuation route that is available at all times.	No acceptable outcome is nominated.

Performance outcomes **Acceptable outcomes PO20** Development for an urban purpose within a flood hazard No acceptable outcome is nominated. area is designed to minimise susceptibility to flood impacts by ensuring floor levels are above the defined flood level. Feditor's Note - Urban purposes is used in this document to describe all of the defined activity groups other than rural activities in schedule 1.1.1 in this planning scheme. An exception to this is part 4 of the planning scheme where urban purposes is defined as per the administrative definitions in schedule 1.2 of this planning scheme. **PO21** The extent of filling utilised to achieve the necessary No acceptable outcome is nominated. floor levels, evacuation routes and flood immunity for infrastructure is minimised. **PO22** Development does not change flooding characteristics No acceptable outcome is nominated. outside of the site in a manner that results in: (1) loss of flood storage; (2) loss of, or changes to, flow paths; (3) acceleration or retardation of flows; (4) increase in the depth, duration or velocity of flood waters: (5) any reduction in flood warning times; or (6) any other worsening of flood hazards on other properties or town infrastructure. Editor's Note – To demonstrate achievement with this PO, a flood assessment and hydraulic report prepared by a suitably qualified professional may be required. Editor's Note - This PO applies to all flood water whether or not the flooding is caused by is caused by storm tides or heavy rainfall. Town infrastructure is designed to prevent the intrusion of No acceptable outcome is nominated. flood waters. **PO24** AO24.1 New lots are not created within the flood hazard area. In areas other than the township expansion area, subdivision does not intensify the number of people living or working within a flood hazard area. **PO25** Development contributes to effective and efficient No acceptable outcome is nominated. disaster management response and recovery capabilities.

Performance outcomes

Acceptable outcomes

Natural Hazards (apuguwaw soersir) - Bushfire (Material Change of Use)

PO26

Essential community infrastructure and community facilities are not established or materially intensified within a bushfire hazard area (bushfire prone area) unless there is an overriding need or other exceptional circumstances.

AO26.1

Essential community infrastructure and community facilities are not established or expanded within a bushfire hazard area.

PO27

Essential community infrastructure are able to function effectively during and immediately after a bushfire.

AO27.1

Essential community infrastructure is not established or expanded within a bushfire hazard area (bushfire prone area) unless underground.

PO28

Development involving hazardous materials manufactured or stored in bulk is not located within a bushfire hazard area (bushfire prone area).

AO28.1

AO29.1

The manufacture or storage of hazardous material in bulk does not occur within the bushfire hazard area (bushfire prone area).


PO29

Development is located and designed to ensure proposed buildings achieve a radiant heat flux level at any point on the building of:

Buildings are separated from hazardous vegetation by a distance that:

- (1) 10kW/sqm where involving essential community infrastructure or community facilities; or
- (2) 29kW/sqm for all other uses.

- (1) achieves a radiant heat flux level at any point on the building of 10kW/sqm, where involving essential community infrastructure or community facilities, or 29kW/sgm for all other uses; and
- (2) is contained wholly within the development site.





Editor's Note - The radiant heat levels and separation distances are to be established in accordance with method 2 set out in AS3959-2009.

Editor's Note – Where a separation distance is to be achieved utilising existing cleared developed areas external to the site, certainty must be established (through tenure or other means) that the land will remain cleared of hazardous vegetation.

PO30

All premises are provided with vehicular access that enables safe evacuation for occupants and easy access by fire fighting appliances.

No acceptable outcome is nominated.

Performance outcomes

PO31

Development outside reticulated water supply areas includes a dedicated static supply that is available solely for fire fighting purposes and can be accessed by fire fighting appliances.

Acceptable outcomes

AO31.1

A water tank is provided within 10m of each building (other than a class 10 building) which:

- (1) is either below ground level or of non-flammable construction;
- (2) has a take off connection at a level that allows the following dedicated, static water supply to be left available for access by fire fighters:
 - (a) 10,000L for residential buildings;
 - (b) 45,000L for industrial buildings; and
 - (c) 20,000L for other buildings; and
- (3) is provided with fire brigade tank fittings 50mm ball valve and male camlock coupling and, if underground, an access hole of 200mm (minimum) to accommodate suction lines.

PO32

Landscaping uses species that are less likely to exacerbate a bushfire and does not increase fuel loads within separation areas.

No acceptable outcome is nominated.

PU33

Bushfire risk mitigation treatments do not have a significant impact on the natural environment or landscape character of the locality.

No acceptable outcome is nominated.

Natural Hazards (apuguwaw soersir) - Bushfire (Reconfiguration of a Lot)

PO34

Where subdivision is being undertaken for an urban purpose or within the township zone, a separation distance from hazardous vegetation is provided to achieve a radiant heat flux level of 29kW/sqm at the boundary of the proposed lots.

Editor's Note – Urban purposes is used in this document to describe all of the defined activity groups other than rural activities in schedule 1.1.1 in this planning scheme. An exception to this is part 4 of the planning scheme where urban purposes is defined as per the administrative definitions in schedule 1.2 of this planning scheme.

Editor's Note – The radiant heat levels and separation distances are to be established in accordance with method 2 set out in AS3959-2009.

AO34.1.1

No new lots are created within a bushfire hazard area (bushfire prone area).

OR

AO34.1.2

Lots are separated from hazardous vegetation by a distance that:

- (1) achieves a radiant heat flux level of 29kW/sqm at all lot boundaries; and
- (2) is contained wholly within the development site.

Editor's Note – Where a separation distance is to be achieved utilising existing cleared developed areas external to the site, certainty must be established (through tenure or other means) that the land will remain cleared of hazardous vegetation.

	Acceptable outcomes
PO35	
Where subdivision is undertaken for a purpose other than an urban purpose, a building envelope of reasonable dimensions is provided on each lot which achieves a radiant heat flux level of 29kW/sqm at any point.	No acceptable outcome is nominated.
PO36	
The development design responds to the potential threat of bushfire and establishes clear evacuation routes which demonstrate an acceptable or tolerable risk to people, by:	No acceptable outcome is nominated.
 minimising the length of the development perimeter exposed to, or adjoining hazardous vegetation; 	
(2) avoiding the creation of potential bottle-neck points in the movement network;	
(3) establishing direct access to a safe assembly/ evacuation area in the event of an approaching bushfire; and	
(4) ensuring roads likely to be used in the event of a fire are designed to minimise traffic congestion.	
Natural Hazards (apuguwaw soersir) – Landslide	
people and buildings from landslide hazard.	
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required.	
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required.	
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical	No acceptable outcome is nominated.
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required. PO38 Access is available to the site during and after a	No acceptable outcome is nominated. No acceptable outcome is nominated.
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required. PO38 Access is available to the site during and after a landslide. PO39 Landslide control structures or works are contained wholly within the development site. PO40 Landslide risk mitigation treatments do not have a	
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required. PO38 Access is available to the site during and after a landslide. PO39 Landslide control structures or works are contained wholly within the development site. PO40	No acceptable outcome is nominated.
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required. PO38 Access is available to the site during and after a landslide. PO39 Landslide control structures or works are contained wholly within the development site. PO40 Landslide risk mitigation treatments do not have a significant impacts are area of high environmental value	No acceptable outcome is nominated.
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required. PO38 Access is available to the site during and after a landslide. PO39 Landslide control structures or works are contained wholly within the development site. PO40 Landslide risk mitigation treatments do not have a significant impacts are area of high environmental value and medium environmental value.	No acceptable outcome is nominated. No acceptable outcome is nominated.
Editor's Note – To demonstrate compliance with this PO, a geotechnical engineering report prepared by an experienced geotechnical professional may be required. PO38 Access is available to the site during and after a landslide. PO39 Landslide control structures or works are contained wholly within the development site. PO40 Landslide risk mitigation treatments do not have a significant impacts are area of high environmental value and medium environmental value. PO41 Development involving hazardous materials manufactured or stored in bulk is not located on land	No acceptable outcome is nominated. No acceptable outcome is nominated. AO41.1 The manufacture or storage of hazardous material in bulk

Performance outcomes Acceptable outcomes Torres Strait People and Townships (koesimay kayin danalayg) **PO43** Industrial activities minimise any noise, odour or other No acceptable outcome is nominated. emissions and do not impact on the community's ability to enjoy their lifestyle. **PO44** Multiple dwellings occur within the township zone and are No acceptable solution is nominated. located, designed and oriented to create pleasant, safe and attractive living environments, including through: (1) interspersing with lower density forms of accommodation activities; (2) provision of generous outdoor open space suited to tenant needs; (3) creation of privacy within individual dwellings; (4) provision of an attractive outlook from individual dwellings; (5) optimum access to cooling breezes to dwellings; (6) provision of main building entrances, verandahs and windows that allow overlooking of the street; and (7) screening along site boundaries or dwelling openings to obscure any undesirable views. PO45 AO45.1 Accommodation activities and community facilities are Accommodation activities and community facilities are separated from: located and sited so that visual, lighting, noise and other impacts do not unduly affect residents and visitors to the (1) existing and future substations by a minimum site. distance of 50m; and (2) existing and future sea and air transport infrastructure by a minimum distance of 100m.

Performance outcomes	Acceptable outcomes	
PO46		
Development within the township expansion precinct:	No acceptable solution is nominated.	
(1) connects to surrounding streets and parks to allow easy movement for pedestrians and vehicles between older and newer parts of town;		
(2) minimises runoff, wastage of water and negative impacts on water quality by retaining natural drainage lines, maximising permeable surfaces and, where possible, maximising opportunities for reuse of water;		
(3) provides for building orientation that maximises access to cooling breezes;		
(4) includes a local park in a central location that caters to the needs of future residents of the new development and can be easily seen from residential areas;		
(5) is sequenced to allow efficient connections or upgrades to town infrastructure such as roads, water, waste water, drainage and electricity;		
(6) includes landscaping in streets and public areas; and		
(7) provides for a local meeting space to acknowledge the location where local chiefs used to meet and to strengthen connections to tribal ancestors.		
Editor's Note – to identify the location where past chiefs used to meet on Mabuyag Island and to seek input into the siting, design and location of future development within the township expansion precinct, consultation with TSIRC, the native title prescribed body corporate and Traditional Owners will be required.		
PO47 Community facilities, particularly those accommodating child care, educational, training and health services are located within the township zone.	No acceptable solution is nominated.	
PO48 Development that may be incompatible with or compromise the ongoing operation or expansion of community facilities does not occur near these uses.	No acceptable solution is nominated.	
PO49 Where possible, community facilities are co-located, multi-purpose and flexible to be able to respond to the changing needs of the community over time.	No acceptable solution is nominated.	
Ailan Kastom and Cultural Heritage (muruyguw danalayg)		
PO50 The continued practice of Ailan Kastom is facilitated and not impeded by development.	No acceptable solution is nominated.	

Performance outcomes

Acceptable outcomes

PO51

Development does not cause run off, soil erosion or other impacts that may lessen the significance or use of nearby cultural heritage places and sacred sites.

No acceptable solution is nominated.

Editor's Note – Places shown as sacred sites and significant trees are potential locations of cultural heritage value. Other locations of cultural heritage value will exist that are not shown on the maps in schedule 2.

It is recommended that, prior to the commencement of new development:

- consultation with Traditional Owners, the relevant native title prescribed body corporates and TSIRC and is undertaken to identify potential cultural heritage values and where these exist, appropriate responses;
- cultural heritage surveys are undertaken prior to the ground disturbing activities taking place; and
- a local Torres Strait Islander Traditional Owner is employed as a cultural heritage manager and monitor throughout construction works.



Performance outcomes	Acceptable outcomes
Getting Around (rangadh)	
PO52	
Development does not impact on Mabuyag Island's air and sea transport infrastructure, including the airstrip, helicopter landing pad, barge ramp and associated facilities, or the efficient and safe operation of services from these facilities.	No acceptable solution is nominated.
PO53 Where upgrading existing, or establishing new, barge ramps or piers, development:	No acceptable solution is nominated.
(1) is designed to minimise noise, lighting and other disturbances to residents and users of accommodation activities and community facilities; and	
(2) provides for nearby set down or storage areas to avoid congestion around the facility.	
Editor's Note – Only development above high water mark is assessable against this planning scheme.	
Town Infrastructure (zagethal)	
PO54 Waste materials generated from construction activities are reused or recycled, wherever possible, to minimise reliance on local waste facilities.	No acceptable solution is nominated.
PO55 The visual impact of town infrastructure is minimised.	No acceptable solution is nominated.
PO56 Town infrastructure is located and designed to avoid or minimise impacts on the community resulting from noise, odour and other emissions.	No acceptable outcome is nominated.
PO57 Development is separated from land identified for the construction of a waste facility and cemetery.	No acceptable outcome is nominated.
PO58 The construction of a telecommunications facility on Mabuyag Island is a matter of priority in order to improve internet and mobile coverage within the township and support economic activity.	No acceptable outcome is nominated.
PO59 New development increases or maintains separation to major drainage channels.	No acceptable outcome is nominated.